

DROP TABLE CLIENT CASCADE CONSTRAINTS;
DROP TABLE EMPLOYEE CASCADE CONSTRAINTS;
DROP TABLE INVENTORY CASCADE CONSTRAINTS;
DROP TABLE ITEM CASCADE CONSTRAINTS;
DROP TABLE LINEITEM CASCADE CONSTRAINTS;
DROP TABLE MANU_RCV CASCADE CONSTRAINTS;
DROP TABLE MANUFACTURER CASCADE CONSTRAINTS;
DROP TABLE MARKETING CASCADE CONSTRAINTS;
DROP TABLE INVENTORY CASCADE CONSTRAINTS;
DROP TABLE PLANNING CASCADE CONSTRAINTS;
DROP TABLE RECEIVING CASCADE CONSTRAINTS;
DROP TABLE SALESORD_RCV CASCADE CONSTRAINTS;
DROP TABLE SALESORDER CASCADE CONSTRAINTS;
DROP TABLE SHIPPING CASCADE CONSTRAINTS;
DROP TABLE ZIP CASCADE CONSTRAINTS;

CREATE TABLE CLIENT(
Client_ID CHAR (4) NOT NULL PRIMARY KEY,
Client_Name CHAR (30) NOT NULL,
Employee_ID CHAR (3) NOT NULL ,
Address CHAR (30) NOT NULL,
Zip_Code CHAR (10) NOT NULL,
Phone_Number CHAR (13) NOT NULL,
Credit_Rating CHAR (10) NOT NULL);

CREATE TABLE EMPLOYEE(
Employee_ID CHAR (5) NOT NULL PRIMARY KEY,
Hire_Date DATE,
Wage DECIMAL (3) NOT NULL,
Work_Hours CHAR (2) NOT NULL,
L_Name CHAR (30) NOT NULL,
F_Name CHAR (30) NOT NULL,
Benefits CHAR (10) NOT NULL,
Exempt CHAR (10) NOT NULL);

CREATE TABLE INVENTORY(
Inventory_ID CHAR (4) NOT NULL PRIMARY KEY,
MANUFACTURER_ID CHAR (5) NOT NULL ,
Item_ID CHAR (5) NOT NULL ,
PLAN_ID CHAR (5) NOT NULL ,
Retail_Cost DECIMAL (3) NOT NULL,
WHS_Cost DECIMAL (3) NOT NULL,

Qty_In_Stock NUMBER NOT NULL,
Inven_Max NUMBER NOT NULL,
Reorder_Level NUMBER NOT NULL);

CREATE TABLE ITEM(
Item_ID CHAR (5) NOT NULL PRIMARY KEY,
LINEITEM_ID VARCHAR (5) ,
Category CHAR (50) NOT NULL);

CREATE TABLE MANU_RCV(
RECEIVING_ID CHAR (5) NOT NULL ,
MANUFACTURER_ID CHAR (5) NOT NULL);

CREATE TABLE SHIPPING(
Shipping_ID CHAR (5) NOT NULL PRIMARY KEY,
Date_Shipped DATE NOT NULL,
Require_Date DATE NOT NULL,
Freight DECIMAL (3) NOT NULL,
MANUFACTURER_ID CHAR (5) NOT NULL ,
SALESORDER_ID CHAR (5) NOT NULL);

CREATE TABLE ZIP(
Zip_Code CHAR (10) NOT NULL PRIMARY KEY,
City CHAR (15) NOT NULL,
State CHAR (15) NOT NULL);

CREATE TABLE MANUFACTURER
(MANUFACTURER_ID CHAR(5) PRIMARY KEY,
COMPANY_NAME VARCHAR(30) NOT NULL,
CONTACT VARCHAR(30) NOT NULL,
ADDRESS VARCHAR(30) NOT NULL,
ZIP_CODE CHAR(10) NOT NULL,
PHONE_NUMBER VARCHAR(13) NOT NULL,
E_MAIL VARCHAR(30),
FAX VARCHAR(13) NOT NULL);

```
CREATE TABLE LINEITEM
(LINEITEM_ID VARCHAR(5) PRIMARY KEY,
SALESORDER_ID CHAR(5) NOT NULL,
QTY_ORD VARCHAR(5) NOT NULL,
PRODUCT VARCHAR(30) NOT NULL);
```

```
CREATE TABLE PLANNING
(PLAN_ID CHAR(5) PRIMARY KEY,
START_DATE DATE NOT NULL,
END_DATE DATE NOT NULL);
```

```
CREATE TABLE MARKETING
(MKTG_ID VARCHAR(8) PRIMARY KEY,
CAMPAIGN_NAME VARCHAR(30) NOT NULL,
TARGET_MKT VARCHAR(30) NOT NULL,
DESCRIPTION VARCHAR(40) NOT NULL,
PLAN_ID CHAR(5) NOT NULL);
```

```
CREATE TABLE RECEIVING
(RECEIVING_ID CHAR(5) PRIMARY KEY,
QTY_RCVD VARCHAR(5) NOT NULL,
DATE_RECEIVED DATE NOT NULL);
```

```
CREATE TABLE SALESORDER
(SALESORDER_ID CHAR(5) PRIMARY KEY,
CLIENT_ID CHAR(4) NOT NULL,
ORDER_DATE DATE NOT NULL);
```

```
CREATE TABLE SALESORD_RCV
(RECEIVING_ID CHAR(5),
SALESORDER_ID CHAR(5));
```

```
INSERT INTO CLIENT
VALUES
('C012','Carter','S03','45830 Oak St.','997650000','7445556695','2');
INSERT INTO CLIENT
VALUES
```

```
('C123','Davis','S08','5784 Rogue Ave.','701220000','4622202365','2');
INSERT INTO CLIENT
VALUES
('C234','Smith','S01','12 Main Street','701300000','5047236730','3');
INSERT INTO CLIENT
VALUES
('C333','Richards','S01','23 Notting
Lane','701300000','5049342343','2');
INSERT INTO CLIENT
VALUES
('C345','Tibbet','S06','57823 Hungry
St.','456780000','5214555222','3');
INSERT INTO CLIENT
VALUES
('C456','Casey','S02','1245 Diversified
Place','701170000','2555223366','3');
INSERT INTO CLIENT
VALUES
('C567','Walker','S05','4578 North Ave.','701170000','5045541212','2');
INSERT INTO CLIENT
VALUES
('C678','Royal','S05','154-A Wyclef
Lane','654320000','8502545689','1');
INSERT INTO CLIENT
VALUES
('C789','Langley','S07','86951Seth St.','701310000','5132553366','3');
INSERT INTO CLIENT
VALUES
('C890','Valteau','S10','4900 Stephen Honor
Place','701300000','5522525555','3');
INSERT INTO CLIENT
VALUES
('C910','Farfagnugen','S04','87593 Dice
Lane','141341222','5525255589','4');
```

```
INSERT INTO ITEM
VALUES
('07892','00006','Medical');
INSERT INTO ITEM
VALUES
('13162','00010','Education');
INSERT INTO ITEM
VALUES
('14963','00005','Culinary');
```

```
('33120','00007','Education');
INSERT INTO ITEM
VALUES
('45678','00001','Custom');
INSERT INTO ITEM
VALUES
('52323','00009','Custom');
INSERT INTO ITEM
VALUES
('75890','00003','Medical');
INSERT INTO ITEM
VALUES
('85690','00004','Medical');
INSERT INTO ITEM
VALUES
('85789','00008','Medical');
INSERT INTO ITEM
VALUES
('88888','00002','Medical');
```

```
INSERT INTO LINEITEM
VALUES
('00001','00056','11','Chef Hat');
INSERT INTO LINEITEM
VALUES
('00002','06366','12','Patient Slipper');
INSERT INTO LINEITEM
VALUES
('00003','07787','14','Teddy Shirt');
INSERT INTO LINEITEM
VALUES
('00004','08008','13','Lab Coat');
INSERT INTO LINEITEM
VALUES
('00005','09595','23','Houndstooth Pant');
INSERT INTO LINEITEM
VALUES
('00006','00100','10','Patient Robe');
INSERT INTO LINEITEM
VALUES
('00007','01234','31','B N G Skirt');
INSERT INTO LINEITEM
VALUES
('00008','00963','15','Seagreen Scrub');
```

```
VALUES  
( '00009','00986','35','Chef Jacket Buckles');  
INSERT INTO LINEITEM  
VALUES  
( '00010','09999','5','Short Sleeve Girl');
```

```
INSERT INTO MANU_RCV  
VALUES  
( 'M0055','M7700');  
INSERT INTO MANU_RCV  
VALUES  
( 'M2525','M8811');  
INSERT INTO MANU_RCV  
VALUES  
( 'M3030','M8899');  
INSERT INTO MANU_RCV  
VALUES  
( 'M4220','M8983');  
INSERT INTO MANU_RCV  
VALUES  
( 'M4545','M1523');  
INSERT INTO MANU_RCV  
VALUES  
( 'M5440','M5500');  
INSERT INTO MANU_RCV  
VALUES  
( 'M5689','M6655');  
INSERT INTO MANU_RCV  
VALUES  
( 'M6656','M5458');  
INSERT INTO MANU_RCV  
VALUES  
( 'M8812','M2200');  
INSERT INTO MANU_RCV  
VALUES  
( 'M8889','M7369');
```

```
INSERT INTO ZIP  
VALUES  
( '141341222','Los Angeles','CA');  
INSERT INTO ZIP  
VALUES  
( '456530000','Rose','MD');  
INSERT INTO ZIP  
VALUES  
( '456780000','Van Nuys','CA');
```

```
INSERT INTO ZIP
VALUES
('541340000','Cedar Falls','ND');
INSERT INTO ZIP
VALUES
('542550000','College Station','TX');
INSERT INTO ZIP
VALUES
('654320000','Nework','NM');
INSERT INTO ZIP
VALUES
('701170000','Miami','FL');
INSERT INTO ZIP
VALUES
('701190000','Metairie','LA');
INSERT INTO ZIP
VALUES
('701220000','New Orleans','LA');
INSERT INTO ZIP
VALUES
('701300000','New Orleans','LA');
INSERT INTO ZIP
VALUES
('701310000','Houston','TX');
INSERT INTO ZIP
VALUES
('716520000','Maui','HA');
INSERT INTO ZIP
VALUES
('759813462','Aussey','OH');
INSERT INTO ZIP
VALUES
('852960000','Daisey County','IA');
INSERT INTO ZIP
VALUES
('997650000','Seattle','WA');
```

```
INSERT INTO INVENTORY
VALUES
('C222','M5458','14963','0008','35.00','7.00','120','400','20');
INSERT INTO INVENTORY
VALUES
('E111','M2200','13162','0005','10.00','3.00','100','200','90');
INSERT INTO INVENTORY
VALUES
('E444','M8811','33120','0006','40.00','20.00','160','400','25');
```

```

INSERT INTO INVENTORY
VALUES
('F123','M1523','45678','0001','24.00','19.00','200','200','44');
INSERT INTO INVENTORY
VALUES
('F555','M8899','52323','0010','78.00','56.00','110','270','46');
INSERT INTO INVENTORY
VALUES
('M111','M1523','85690','0002','28.00','8.00','151','250','50');
INSERT INTO INVENTORY
VALUES
('M222','M5500','85789','0003','30.00','10.00','180','200','70');
INSERT INTO INVENTORY
VALUES
('M332','M7700','07892','0004','25.00','3.00','140','200','20');
INSERT INTO INVENTORY
VALUES
('M333','M6655','88888','0009','2.00','0.00','170','200','100');
INSERT INTO INVENTORY
VALUES
('M666','M8983','75890','0007','20.00','10.00','130','200','25');

```

```

INSERT INTO EMPLOYEE
VALUES
('S01',TO_DATE('1/2/2000','MM/DD/YYYY'),'12','FT','Aires','Juan','TRUE','TRUE');
INSERT INTO EMPLOYEE
VALUES
('S02',TO_DATE('2/5/1999','MM/DD/YYYY'),'10','PT','Buster','Brown','FALSE','FALSE');
INSERT INTO EMPLOYEE
VALUES
('S03',TO_DATE('4/28/2001','MM/DD/YYYY'),'9','TM','Wells','Martin','FALSE','FALSE');
INSERT INTO EMPLOYEE
VALUES
('S04',TO_DATE('5/29/2000','MM/DD/YYYY'),'11','FT','Thomas','Raina','TRUE','FALSE');
INSERT INTO EMPLOYEE
VALUES
('S05',TO_DATE('7/10/1998','MM/DD/YYYY'),'12','FT','Waters','Chantell','TRUE','TRUE');
INSERT INTO EMPLOYEE
VALUES
('S06',TO_DATE('8/14/1999','MM/DD/YYYY'),'12','FT','Smooth','Tim','TRUE','FALSE');
INSERT INTO EMPLOYEE

```

```
VALUES
('S07',TO_DATE('1/15/1998','MM/DD/YYYY'),'12','FT','Cake','Rain','TRUE','TRUE');
INSERT INTO EMPLOYEE
VALUES
('S08',TO_DATE('9/9/2000','MM/DD/YYYY'),'10','PT','Love','Michael','FALSE','FALSE
');
INSERT INTO EMPLOYEE
VALUES
('S09',TO_DATE('10/11/2001','MM/DD/YYYY'),'12','FT','Hardgove','Julien','TRUE','FA
LSE');
INSERT INTO EMPLOYEE
VALUES
('S10',TO_DATE('8/12/2000','MM/DD/YYYY'),'12','FT','Simms','Justin','TRUE','FALSE'
);
INSERT INTO EMPLOYEE
VALUES
('S11',TO_DATE('5/18/2000','MM/DD/YYYY'),'12','PT','Cager','Zella','FALSE','FALSE'
);
INSERT INTO EMPLOYEE
VALUES
('S12',TO_DATE('12/12/2001','MM/DD/YYYY'),'10','FT','LaCour','Jualila','TRUE','TRU
E');
```

```
INSERT INTO SHIPPING
VALUES
('C012',TO_DATE('11/12/2003','MM/DD/YYYY'),TO_DATE('11/20/2003','MM/DD/Y
YYY'),'12.95','M7369','06366');
INSERT INTO SHIPPING
VALUES
('C222',TO_DATE('8/1/2003','MM/DD/YYYY'),TO_DATE('8/5/2003','MM/DD/YYYY'
),'12.95','M2200','00056');
INSERT INTO SHIPPING
VALUES
('C234',TO_DATE('5/8/2003','MM/DD/YYYY'),TO_DATE('5/12/2003','MM/DD/YYY
Y'),'4.95','M6655','09595');
INSERT INTO SHIPPING
VALUES
('C432',TO_DATE('9/20/2001','MM/DD/YYYY'),TO_DATE('9/25/2001','MM/DD/YYY
Y'),'4.95','M1523','00963');
INSERT INTO SHIPPING
VALUES
('C456',TO_DATE('1/9/2003','MM/DD/YYYY'),TO_DATE('1/11/2003','MM/DD/YYY
Y'),'4.95','M5458','08008');
```

```
('C567',TO_DATE('4/4/2002','MM/DD/YYYY'),TO_DATE('4/7/2002','MM/DD/YYYY')
),12.95','M8899','00986');
INSERT INTO SHIPPING
VALUES
('C678',TO_DATE('2/23/2002','MM/DD/YYYY'),TO_DATE('2/27/2002','MM/DD/YYYY
Y'),'4.95','M8983','07787');
INSERT INTO SHIPPING
VALUES
('C789',TO_DATE('8/8/2003','MM/DD/YYYY'),TO_DATE('8/15/2003','MM/DD/YYYY
Y'),'3.47','M8811','00100');
INSERT INTO SHIPPING
VALUES
('C890',TO_DATE('5/4/2003','MM/DD/YYYY'),TO_DATE('5/7/2003','MM/DD/YYYY')
),12.95','M7700','09999');
INSERT INTO SHIPPING
VALUES
('C910',TO_DATE('1/17/2001','MM/DD/YYYY'),TO_DATE('1/23/2001','MM/DD/YYYY
Y'),'4.95','M5500','01234');
```

```
INSERT INTO MANUFACTURER
VALUES ('M1523','Casuals','Mary Katherine','52 Lane
Pl.','141341222','7779311504','kah@yahoo.com','5042839141');
INSERT INTO MANUFACTURER
VALUES ('M2200','Fosters','Charles Thereau','58AA Alcoholic
Dr.','456530000','1645354153','student@yahoo.com','1645744465');
INSERT INTO MANUFACTURER
VALUES ('M5458','Weller Uppers','Susan Anthony','15155 Thomas
St.','456780000','5434134134','lovely@yahoo.com','5436565589');
INSERT INTO MANUFACTURER
VALUES ('M5500','Good Works','Dee Debois','5555 Holiday
St.','541340000','4646585656','debois@aol.com','4647329001');
INSERT INTO MANUFACTURER
VALUES ('M6655','2 Cute 4 U','Henry Thereau','4555 University
Pl.','542550000','3544164568','henry@yahoo.com','3542367889');
INSERT INTO MANUFACTURER
VALUES ('M7369','Wonder Works','Hawthorne East','78999 Stac
St.','654320000','4564634164','hawthorne@yahoo.com','4562347899');
INSERT INTO MANUFACTURER
VALUES ('M7700','Staples','Anthony Hall','65336 Harry
St','701170000','7201337890','bratpack@go.com','7522666336');
INSERT INTO MANUFACTURER
VALUES ('M8811','Wesley and Potter','Molly Ringwald','98455 Tulane
Ave.','701190000','6346565557','blazeofglory@hotmail.com','6345566851');
INSERT INTO MANUFACTURER
VALUES ('M8899','Got It Them','Melville Lane','98555 Hollon
Way','701310000','3544664655','melville@yahoo.com','3542790090');
```

```
INSERT INTO MANUFACTURER
VALUES ('M8983','Nostrom Alls','Walt Whitman','67555 Tulane
Ave.','759813462','3546443433','raining@yahoo.com','3548556633');
```

```
INSERT INTO LINEITEM
VALUES ('00001','00056',11,'Chef Hat');
INSERT INTO LINEITEM
VALUES ('00002','06366',12,'Patient Slipper');
INSERT INTO LINEITEM
VALUES ('00003','07787',14,'Teddy Shirt');
INSERT INTO LINEITEM
VALUES ('00004','08008',13,'Lab Coat');
INSERT INTO LINEITEM
VALUES ('00005','09595',23,'Houndstooth Pant');
INSERT INTO LINEITEM
VALUES ('00006','00100',10,'Patient Robe');
INSERT INTO LINEITEM
VALUES ('00007','01234',31,'B N G Skirt');
INSERT INTO LINEITEM
VALUES ('00008','00963',15,'Seagreen Scrub');
INSERT INTO LINEITEM
VALUES ('00009','00986',35,'Chef Jacket Buckles');
INSERT INTO LINEITEM
VALUES ('00010','09999',5,'Short Sleeve Girl');
```

```
INSERT INTO PLANNING
VALUES
('0001',TO_DATE('12/1/2003','MM/DD/YYYY'),TO_DATE('1/23/2004','MM/DD/YYYY
Y'));
```

```
INSERT INTO PLANNING
VALUES
('0002',TO_DATE('11/9/2003','MM/DD/YYYY'),TO_DATE('1/10/2004','MM/DD/YYYY
Y'));
```

```
INSERT INTO PLANNING
VALUES
('0003',TO_DATE('10/1/2003','MM/DD/YYYY'),TO_DATE('12/23/2003','MM/DD/YY
YY'));
```

```
INSERT INTO PLANNING
VALUES
('0004',TO_DATE('11/6/2003','MM/DD/YYYY'),TO_DATE('2/23/2004','MM/DD/YYYY
Y'));
```

```
INSERT INTO PLANNING
VALUES
('0005',TO_DATE('8/1/2003','MM/DD/YYYY'),TO_DATE('3/1/2004','MM/DD/YYYY')
);
```

```
INSERT INTO PLANNING
VALUES
('0006',TO_DATE('11/15/2003','MM/DD/YYYY'),TO_DATE('12/25/2003','MM/DD/YY
YY'));
```

```
INSERT INTO PLANNING
VALUES
('0007',TO_DATE('6/1/2003','MM/DD/YYYY'),TO_DATE('2/27/2004','MM/DD/YYYY
'));
INSERT INTO PLANNING
```

```
INSERT INTO PLANNING
```

```
VALUES
('0008',TO_DATE('5/21/2003','MM/DD/YYYY'),TO_DATE('2/12/2004','MM/DD/YYY
Y'));
INSERT INTO PLANNING
```

```
VALUES
('0009',TO_DATE('12/21/2003','MM/DD/YYYY'),TO_DATE('3/10/2004','MM/DD/YY
YY'));
INSERT INTO PLANNING
```

```
VALUES
('0010',TO_DATE('12/1/2003','MM/DD/YYYY'),TO_DATE('3/20/2004','MM/DD/YYY
Y'));
INSERT INTO PLANNING
```

```
VALUES ('BADISCOU','Rewards','Urban','15% off Order','0002');
```

```
VALUES ('CH852258','Fall Prom','Inner City','25% Off Order','0009');
```

```
VALUES ('DIS77777','Summer Prom','Rural','30% Off','0008');
```

```
VALUES ('EDUPROMO','Long Term Promo','Urban','Buy 3 get 1
free','0006');
```

```
VALUES ('GENERALD','Repeat','Inner City','Buy1 get 1 free','0004');
```

```
VALUES ('GOVEMP22','Spring Prom','Urban','Free stuff','0010');
```

```
VALUES ('HEALTHDI','Appreciation','Inner City','5% off Order','0003');
```

```
INSERT INTO PLANNING
```

```
VALUES ('PO455555','Holiday Prom','Inner City','15% Off first time
customer','0007');
INSERT INTO MARKETING
VALUES ('PROMFOOD','Faithful Customer','Inner City','10% off orders of
$1000 or more','0005');
INSERT INTO MARKETING
VALUES ('TA56789','Foodies','Rural','20% off Order','0001');
```

```
INSERT INTO SALESORDER
VALUES ('00056','C678',TO_DATE('1/13/2003','MM/DD/YYYY'));
INSERT INTO SALESORDER
VALUES ('00100','C890',TO_DATE('8/9/2003','MM/DD/YYYY'));
INSERT INTO SALESORDER
VALUES ('00963','C910',TO_DATE('12/1/2003','MM/DD/YYYY'));
INSERT INTO SALESORDER
VALUES ('00986','C789',TO_DATE('2/28/2003','MM/DD/YYYY'));
INSERT INTO SALESORDER
VALUES ('01234','C234',TO_DATE('11/5/2003','MM/DD/YYYY'));
INSERT INTO SALESORDER
VALUES ('06366','C012',TO_DATE('12/3/2003','MM/DD/YYYY'));
INSERT INTO SALESORDER
VALUES ('07787','C456',TO_DATE('3/1/2002','MM/DD/YYYY'));
INSERT INTO SALESORDER
VALUES ('08008','C345',TO_DATE('2/2/2002','MM/DD/YYYY'));
INSERT INTO SALESORDER
VALUES ('09595','C567',TO_DATE('4/10/2001','MM/DD/YYYY'));
INSERT INTO SALESORDER
VALUES ('09999','C123',TO_DATE('9/5/2003','MM/DD/YYYY'));
```

```
INSERT INTO SALESORD_RCV
VALUES ('M0055','07787');
INSERT INTO SALESORD_RCV
VALUES ('M2525','09595');
INSERT INTO SALESORD_RCV
VALUES ('M3030','06366');
INSERT INTO SALESORD_RCV
VALUES ('M4220','08008');
INSERT INTO SALESORD_RCV
VALUES ('M4545','00963');
INSERT INTO SALESORD_RCV
VALUES ('M5440','01234');
INSERT INTO SALESORD_RCV
VALUES ('M5689','00986');
INSERT INTO SALESORD_RCV
VALUES ('M6656','09999');
INSERT INTO SALESORD_RCV
```

```
VALUES ('M8812','00100');
INSERT INTO SALESORD_RCV
VALUES ('M8889','00056');
```

```
INSERT INTO RECEIVING
VALUES ('M0055',12,TO_DATE('1/5/2004','MM/DD/YYYY'));
INSERT INTO RECEIVING
VALUES ('M2525',200,TO_DATE('12/5/2003','MM/DD/YYYY'));
INSERT INTO RECEIVING
VALUES ('M3030',25,TO_DATE('2/5/2004','MM/DD/YYYY'));
INSERT INTO RECEIVING
VALUES ('M4220',109,TO_DATE('2/12/2004','MM/DD/YYYY'));
INSERT INTO RECEIVING
VALUES ('M4545',170,TO_DATE('2/12/2004','MM/DD/YYYY'));
INSERT INTO RECEIVING
VALUES ('M5440',200,TO_DATE('12/23/2003','MM/DD/YYYY'));
INSERT INTO RECEIVING
VALUES ('M5689',28,TO_DATE('11/23/2003','MM/DD/YYYY'));
INSERT INTO RECEIVING
VALUES ('M6656',290,TO_DATE('1/21/2004','MM/DD/YYYY'));
INSERT INTO RECEIVING
VALUES ('M8812',150,TO_DATE('1/23/2004','MM/DD/YYYY'));
INSERT INTO RECEIVING
VALUES ('M8889',230,TO_DATE('1/23/2004','MM/DD/YYYY'));
```

```
ALTER TABLE LINEITEM
ADD CONSTRAINT SALORD_ID_FK FOREIGN KEY (SALESORDER_ID)
REFERENCES
SALESORDER(SALESORDER_ID);
```

```
ALTER TABLE MARKETING
ADD CONSTRAINT PL_ID_FK FOREIGN KEY (PLAN_ID) REFERENCES
PLANNING(PLAN_ID);
```

```
ALTER TABLE SALESORDER
ADD CONSTRAINT CLIENT_ID_FK FOREIGN KEY (Client_ID) REFERENCES
CLIENT(Client_ID);
```

```
ALTER TABLE MANU_RCV
ADD CONSTRAINT MANUFAC_ID_FK FOREIGN KEY (MANUFACTURER_ID)
REFERENCES
MANUFACTURER(MANUFACTURER_ID);
```

```
ALTER TABLE ITEM
ADD CONSTRAINT ITM_ID_FK FOREIGN KEY (LINEITEM_ID) REFERENCES
```

```
LINEITEM(LINEITEM_ID);
```

```
ALTER TABLE MANU_RCV  
ADD CONSTRAINT MANRCV_ID_FK FOREIGN KEY (RECEIVING_ID)  
REFERENCES  
RECEIVING(RECEIVING_ID);
```

```
ALTER TABLE SALESORD_RCV  
ADD CONSTRAINT SALERCV_ID_FK FOREIGN KEY (RECEIVING_ID)  
REFERENCES  
RECEIVING(RECEIVING_ID);
```

```
ALTER TABLE Client  
ADD CONSTRAINT CLNT_ID_FK FOREIGN KEY (Employee_ID) REFERENCES  
Employee(Employee_ID);
```

```
ALTER TABLE Client  
ADD CONSTRAINT CLIENTZIP_ID_FK FOREIGN KEY (Zip_Code) REFERENCES  
Zip(Zip_Code);
```

```
ALTER TABLE SHIPPING  
ADD CONSTRAINT SHIPSALES_ID_FK FOREIGN KEY (SALESORDER_ID)  
REFERENCES  
SALESORDER(SALESORDER_ID);
```

```
ALTER TABLE SHIPPING  
ADD CONSTRAINT MANUSHIP_ID_FK FOREIGN KEY (MANUFACTURER_ID)  
REFERENCES  
MANUFACTURER(MANUFACTURER_ID);
```

```
ALTER TABLE MANUFACTURER  
ADD CONSTRAINT MANUZIP_ID_FK FOREIGN KEY (Zip_Code) REFERENCES  
Zip(Zip_Code);
```

```
ALTER TABLE INVENTORY  
ADD CONSTRAINT INVENMANU_ID_FK FOREIGN KEY (MANUFACTURER_ID)  
REFERENCES  
MANUFACTURER(MANUFACTURER_ID);
```

```
ALTER TABLE INVENTORY  
ADD CONSTRAINT INVENTITEM_ID_FK FOREIGN KEY (ITEM_ID)  
REFERENCES  
Item(Item_ID);
```

```
ALTER TABLE INVENTORY
```

```
ADD CONSTRAINT INVENTPLAN_ID_FK FOREIGN KEY (Plan_ID)
REFERENCES
PLANNING(Plan_ID);
```